ANALIZA BIAŁEK

100015005

Laboratory of Analysis

Client: Anonymous
Order number: 100015005
Name: VIOGEN PHARMACEUTICALS PRIMOBOLAN ENANTHATE
Number of samples: 1 vial

Batch number: ------
Recive date: 2026-05-28
Start date: 2026-06-01
End date: 2026-06-03

Sample identification

Substance	Method of taking a sample	Form
Methenolone Enanthate	Sample provided by customer	Transparent liquid in a glass vial

Results

Substance	Sample name	Content	Purity
Methenolone Enanthate	VIOGEN PHARMACEUTICALS PRIMOBOLAN ENANTHATE 150 150MG/ML	158,51mg/ml	------

Research comment

The test sample was applied in the amount of 3µl to the BioBasic 8 Thermo Scientific column. During the course of the analysis with the method a linear gradient in the solutions of H20 and Acetonitrile with the addition of 0.1% trifuluoroacetic acid, a peak of the sought substance appeared Its concentration, when compared to the reference chromatogram, is 158,51mg/ml. Height the measurement error is + - 1 mg. The actual state of the sample sent before the test is presented on the photo below

Photo of the test sample



Password

8U62FK3D

Analiza Białek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875


Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zając

ANALIZA BIAŁEK

100015005

Chromatogram



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	60%	40%
2min	60%	40%
27min	5%	95%
30min	5%	95%

Password

8U62FK3D

Analiza Białek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zając